

Bid Addendum No. 2
March 19, 2020

*Subject: McHenry Township Road District
Shalimar Subdivision and Orchard Beach Subdivision Improvements
March 24, 2020 Letting*

To Prospective Bidders:

The contract documents for the above referenced project are hereby amended as set forth below. The information contained within this Addendum No. 2 shall be treated as if it was originally contained within the contract documents.

Modification to the Bid Opening:

In Addendum No.1, the bid opening location has changed from HR Green offices in McHenry to the McHenry Township offices in Johnsburg. While the address was correctly updated in Addendum No. 1, the title of the offices was not. The enclosed Notice to Bidders appropriately changes the office title from HR Green to McHenry Township Road District.

The date and time of the bid opening remain unchanged.

Replace the Notice to Bidders provided in the original bid package & Addendum No. 1 with this enclosed Notice to Bidders:

Modification to the Schedule of Prices & Summary of Quantities:

The item for Storm Sewers, Class B, Type 2 18" has been listed twice on the Schedule of Prices and Summary of Quantities. Item #37 has been updated to Storm Sewers, Class B, Type 1 24".

Replace the Schedule of Prices and Summary of Quantities provided in the original bid package with this enclosed Schedule of Prices and Summary of Quantities:

No Proposal shall be considered responsive nor shall any Proposal be considered unless the appropriate space for acknowledgement of the addendum is completed in the original bid package and unless the Proposal is accompanied by a signed and attested copy of this Addendum No. 2. The signed and attested copy of Addendum No. 2 shall be attached to the Proposal.

The undersigned agrees to be bound by the modifications made within this Addendum No. 2, and hereby waives any and all claims based upon the additional or modified information contained herein.

Acknowledgement of Addendum No. 2

Date:

Company Name: _____

Signature: _____

Name: _____

Attest:

Signature: _____

Name: _____

RETURN WITH BID

NOTICE TO BIDDERS

County MCHENRY
Local Public Agency MCHENRY ROAD DISTRICT
Section Number NA
Route VARIOUS

Sealed proposals for the improvement described below will be received at the office of McHenry Township Road District
3703 N, Richmond Road, Johnsburg, IL, 60051 until 11:00 AM on March 24, 2020

Sealed proposals will be opened and read publicly at the office of McHenry Township Road District
3703 N, Richmond Road, Johnsburg, IL, 60051 at 11:00 AM on March 24, 2020

DESCRIPTION OF WORK

Name Shalimar & Orchard Beach Subdivision Improvements Length: 8,859 feet (1.68 miles)
Location Shalimar & Orchard Beach Subdivision within McHenry Township, McHenry County, Illinois
Proposed Improvement Consists of pavement widening, full-depth reclamation, hot-mix asphalt binder course, hot-mix asphalt surface course, storm sewers, concrete gutter and all necessary and collateral work to construct the improvements.

1. Plans and proposal forms will be available Electronically via email by contacting Tina Napolitano at tnapolitano@hrgreen.com or at 815-759-8358.

2. [X] Prequalification
If checked, the 2 low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57), in duplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work. One original shall be filed with the Awarding Authority and one original with the IDOT District Office.

3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals.

4. The following BLR Forms shall be returned by the bidder to the Awarding Authority:
a. BLR 12200: Local Public Agency Formal Contract Proposal
b. BLR 12200a Schedule of Prices
c. BLR 12230: Proposal Bid Bond (if applicable)
d. BLR 12325: Apprenticeship or Training Program Certification (do not use for federally funded projects)
e. BLR 12326: Affidavit of Illinois Business Office

5. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.

6. Submission of a bid shall be conclusive assurance and warranty the bidder has examined the plans and understands all requirements for the performance of work. The bidder will be responsible for all errors in the proposal resulting from failure or neglect to conduct an in depth examination. The Awarding Authority will, in no case be responsible for any costs, expenses, losses or changes in anticipated profits resulting from such failure or neglect of the bidder.

7. The bidder shall take no advantage of any error or omission in the proposal and advertised contract.

8. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Agency and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.

9. Permission will be given to a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

SCHEDULE OF PRICES

County MCHENRY
 Local Public Agency MCHENRY ROAD DISTRICT
 Section NA
 Route VARIOUS

Schedule for Multiple Bids

Combination Letter	Sections Included in Combinations

Schedule for Single Bid

(For complete information covering these items, see plans and specifications)

Bidder's Proposal for making Base Bid Improvements
--

Item No.	Items	Unit	Quantity	Unit Price	Total
1	TEMPORARY FENCE	FOOT	500		
2	TREE ROOT PRUNING	EACH	5		
3	TREE PRUNING (1 TO 10 INCH DIAMETER)	EACH	5		
4	TREE PRUNING (OVER 10 INCH DIAMETER)	EACH	5		
5	EARTH EXCAVATION (WIDENING)	CU YD	1,387		
6	TRENCH BACKFILL	CU YD	937		
7	TOPSOIL FURNISH AND PLACE, 6"	SQ YD	7,800		
8	SEEDING, CLASS 1A	ACRE	1.65		
9	NITROGEN FERTILIZER NUTRIENT	POUND	146		
10	POTASSIUM FERTILIZER NUTRIENT	POUND	146		
11	EROSION CONTROL BLANKET	SQ YD	7,800		
12	TEMPORARY EROSION CONTROL SEEDING	POUND	200		
13	TEMPORARY DITCH CHECKS	FOOT	175		
14	PERIMETER EROSION BARRIER	FOOT	2,414		
15	INLET FILTERS	EACH	30		
16	AGGREGATE BASE COURSE, TYPE B	TON	525		
17	AGGREGATE BASE COURSE, TYPE B 6"	SQ YD	718		
18	AGGREGATE BASE COURSE, TYPE B 12"	SQ YD	1,587		
19	BITUMINOUS MATERIALS (PRIME COAT)	POUND	41,143		
20	BITUMINOUS MATERIALS (TACK COAT)	POUND	4,119		
21	LEVELING BINDER (MACHINE METHOD), N50	TON	60		
22	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	188		
23	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	2,100		
24	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	1,935		
25	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	265		
26	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 10 INCH	SQ YD	335		
27	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	50		
28	HOT-MIX ASPHALT SURFACE REMOVAL, 4", SPECIAL	SQ YD	8,010		
29	DRIVEWAY PAVEMENT REMOVAL	SQ YD	1,500		
30	SIDEWALK REMOVAL	SQ FT	50		
31	CLASS D PATCHES, TYPE II, 4 INCH	SQ YD	30		
32	CLASS D PATCHES, TYPE III, 4 INCH	SQ YD	50		
33	CLASS D PATCHES, TYPE IV, 4 INCH	SQ YD	100		
34	AGGREGATE SHOULDERS, TYPE B	TON	200		
35	STORM SEWERS, CLASS B, TYPE 1 12"	FOOT	961		
36	STORM SEWERS, CLASS B, TYPE 1 18"	FOOT	28		
37	STORM SEWERS, CLASS B, TYPE 1 24"	FOOT	19		
38	STORM SEWERS, CLASS B, TYPE 2 12"	FOOT	148		
39	STORM SEWERS, CLASS B, TYPE 2 18"	FOOT	635		
40	STORM SEWER REMOVAL	FOOT	260		
41	METAL END SECTIONS 12"	EACH	3		
42	METAL END SECTIONS 18"	EACH	1		
43	PIPE UNDERDRAINS 6" (SPECIAL)	FOOT	150		
44	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
45	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	EACH	2		
46	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 10 FRAME AND GRATE	EACH	3		
47	CATCH BASINS, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
48	CATCH BASINS, TYPE A, 5'-DIAMETER, TYPE 10 FRAME AND GRATE	EACH	1		
49	CATCH BASINS, TYPE C, TYPE 1 FRAME, OPEN LID	EACH	1		

	ITEM	UNIT	TOTAL QUANTITY
	TEMPORARY FENCE	FOOT	500
* +	TREE ROOT PRUNING	EACH	5
+	TREE PRUNING (1 TO 10 INCH DIAMETER)	EACH	5
+	TREE PRUNING (OVER 10 INCH DIAMETER)	EACH	5
*	EARTH EXCAVATION (WIDENING)	CU YD	1387
	TRENCH BACKFILL	CU YD	937
+	TOPSOIL FURNISH AND PLACE, 6"	SQ YD	7800
+	SEEDING, CLASS 1A	ACRE	1.65
+	NITROGEN FERTILIZER NUTRIENT	POUND	146
+	POTASSIUM FERTILIZER NUTRIENT	POUND	146
+	EROSION CONTROL BLANKET	SQ YD	7800
	TEMPORARY EROSION CONTROL SEEDING	POUND	200
	TEMPORARY DITCH CHECKS	FOOT	175
	PERIMETER EROSION BARRIER	FOOT	2414
	INLET FILTERS	EACH	30
*	AGGREGATE BASE COURSE, TYPE B	TON	525
	AGGREGATE BASE COURSE, TYPE B 6"	SQ YD	718
	AGGREGATE BASE COURSE, TYPE B 12"	SQ YD	1587
	BITUMINOUS MATERIALS (PRIME COAT)	POUND	41143
	BITUMINOUS MATERIALS (TACK COAT)	POUND	4119
	LEVELING BINDER (MACHINE METHOD), N50	TON	60
	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SQ YD	188
	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	2100
	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	1935
*	INCIDENTAL HOT-MIX ASPHALT SURFACING	TON	265
*	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 10 INCH	SQ YD	335

	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	50
	HOT-MIX ASPHALT SURFACE REMOVAL, 4", SPECIAL	SQ YD	8010
*	DRIVEWAY PAVEMENT REMOVAL	SQ YD	1500
	SIDEWALK REMOVAL	SQ FT	50
	CLASS D PATCHES, TYPE II, 4 INCH	SQ YD	30
	CLASS D PATCHES, TYPE III, 4 INCH	SQ YD	50
	CLASS D PATCHES, TYPE IV, 4 INCH	SQ YD	100
*	AGGREGATE SHOULDERS, TYPE B	TON	200
*	STORM SEWERS, CLASS B, TYPE 1 12"	FOOT	961
*	STORM SEWERS, CLASS B, TYPE 1 18"	FOOT	28
*	STORM SEWERS, CLASS B, TYPE 1 24"	FOOT	19
*	STORM SEWERS, CLASS B, TYPE 2 12"	FOOT	148
*	STORM SEWERS, CLASS B, TYPE 2 18"	FOOT	635
	STORM SEWER REMOVAL	FOOT	260
	METAL END SECTIONS 12"	EACH	3
	METAL END SECTIONS 18"	EACH	1
	PIPE UNDERDRAINS 6" (SPECIAL)	FOOT	150
	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1
*	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	EACH	2
	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 10 FRAME AND GRATE	EACH	3
	CATCH BASINS, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1
	CATCH BASINS, TYPE A, 5'-DIAMETER, TYPE 10 FRAME AND GRATE	EACH	1
	CATCH BASINS, TYPE C, TYPE 1 FRAME, OPEN LID	EACH	1
*	CATCH BASINS, TYPE C, TYPE 10 FRAME AND GRATE	EACH	2
*	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	5
*	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	EACH	2

* SPECIAL PROVISION

+ SPECIALTY ITEM

HRG PROJECT NO: 190489
 HRG PROJ CONTACT:
 FILE NAME: 190489-SHT-500.dgn
 PLOT DATE: 3/19/2020
 PEN TABLE: 190489.tbl



USER NAME = jstrzal	DESIGNED - JJS	REVISED - XX/XX/XXXX
	DRAWN - DMS	REVISED - XX/XX/XXXX
PLOT SCALE =	CHECKED -	REVISED - XX/XX/XXXX
PLOT DATE = 3/19/2020	DATE -	REVISED - XX/XX/XXXX

**McHENRY TOWNSHIP
ROAD DISTRICT**

**SUMMARY OF QUANTITIES
SHALIMAR SUBDIVISION & ORCHARD BEACH SUBDIVISION**

SCALE: N.T.S. SHEET 1 OF 2 SHEETS STA. TO STA.

F.A.U RTE.	SECTION NO.	COUNTY	TOTAL SHEETS	SHEET NO.
		MCHEMRY	107	4
FED. ROAD DIST. NO.			ILLINOIS FED. AID PROJECT	