

Addendum No. 1
March 31, 2020

Subject: Village of Spring Grove
Downtown Sidewalk, Lighting & Parking Improvements
April 6, 2020 Letting

To Prospective Bidders:

The contract documents for the above referenced project are hereby amended as set forth below. The information contained within this Addendum No. 1 shall be treated as if it was originally contained within the contract documents.

Clarification to the Plans:

1. *Summary of Quantities (Sheets 4, 5, 6 & 7 of 34)*
Due to updates as presented in Addendum No. 1 the Summary of Quantities plan sheets will be replaced in its entirety with the attached revised Summary of Quantities plan sheets.

2. *Removal Plan (Sheet 9 of 34)*
For illustration, the existing edge of pavement, paved shoulder and guardrail along the south side of Main Street is now shown from the beginning of the project to approximately STA 107+00.

For illustration, storm sewer pipes to be removed are now shown with a hatch to match the removal plan legend.

Guardrail Removal has been added to the plans at approximately STA 105+10 to accommodate storm sewer pipe removal and replacement. Pay items have been added to the project for measurement and payment.

Driveway Pavement Removal is now shown at approximately STA 106+10. Plan quantities have been updated accordingly.

3. *Removal Plan (Sheet 10 of 34)*
For illustration, storm sewer pipes to be removed are now shown with a hatch to match the removal plan legend.

For illustration, existing paved shoulder and existing aggregate shoulder areas are now labeled along Blivin Street.

For illustration, existing pipe culverts are now labeled with ditch flow directions at the entrance to Horse Fair Park.

4. *Plan and Profile (Sheet 11 of 34)*

Legend has been updated to indicate Sodding, Salt Tolerant in lieu of Seeding, Salt Tolerant in order to match the specifications.

Stone Dumped Rip Rap has changed from Class A4 to Class A2. Pay item description has also been updated accordingly.

Replacement guardrail is now called out to accommodate the storm sewer pipe replacement. The guardrail end will be fitted with an end shoe matching the existing condition.

Areas of Parkway Restoration and silt fence have been added along the south side of Main Street. Plan quantities have been updated accordingly.

5. *Plan and Profile (Sheet 12 of 34)*

Legend has been updated to indicate Sodding, Salt Tolerant in lieu of Seeding, Salt Tolerant in order to match the specifications.

HMA Driveway Pavement is now shown at approximately STA 106+10. Plan quantities have been updated accordingly.

Areas of Parkway Restoration and silt fence have been added along the south side of Main Street. Plan quantities have been updated accordingly.

Detailed grading information is now shown for the proposed curb and gutter and sidewalks consisting of the new diagonal parking area along the south side of Main Street between STA 108+50 and the Blivin Street intersection.

6. *Plan and Profile (Sheet 13 of 34)*

Legend has been updated to indicate Sodding, Salt Tolerant in lieu of Seeding, Salt Tolerant in order to match the specifications.

Areas of Parkway Restoration have been added along the west side of Blivin Street. Plan quantities have been updated accordingly.

Note added to highlight end of proposed sidewalk profile. Proposed sidewalk elevations are shown on the plan view.

7. *Plan and Profile (Sheet 14 of 34)*

Legend has been updated to indicate Sodding, Salt Tolerant in lieu of Seeding, Salt Tolerant in order to match the specifications.

Areas of Parkway Restoration have been added along the west side of Blivin Street. Plan quantities have been updated accordingly.

Note added to highlight end of proposed sidewalk profile. Proposed sidewalk elevations are shown on the plan view.

Label added to proposed 8-inch diameter pipe culvert beneath sidewalk south of the Horse Fair Park entrance. Pay item has been added to the plans.

Clarification to the Special Provisions:

1. *Schedule of Prices (BLR 12222)*

Due to updates as presented in Addendum No. 1 the Schedule of Prices will be replaced in its entirety with the attached revised Schedule of Prices.

*Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. **The signed copy of Addendum No. 1 must be included with the submitted Proposal. Failure to incorporate all relevant addenda may cause the bid to be declared unacceptable.***

The undersigned agrees to be bound by the modifications made within this Addendum No. 1, and hereby waives any and all claims based upon the additional or modified information contained herein.

Company Name: _____

Signature of Company Representative: _____



SCHEDULE OF PRICES

A bid will be declared unacceptable if neither a unit price nor total price is shown.

County MCHENRY
 Local Public Agency VILLAGE OF SPRING GROVE
 Section NA
 Route VARIOUS

Schedule for Multiple Bids

Combination Letter	Sections Included in Combinations	Total

Schedule for Single Bid

(For complete information covering these items, see plans and specifications)

Bidder's Proposal for Making Entire Improvements

Item No.	Items	Unit	Quantity	Unit Price	Total
1	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	18		
2	TEMPORARY FENCE	FOOT	360		
3	EARTH EXCAVATION (WIDENING)	CU YD	157		
4	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL (TOPSOIL STRIP)	CU YD	33		
5	TRENCH BACKFILL	CU YD	155		
6	TEMPORARY EROSION CONTROL SEEDING	POUND	27		
7	PERIMETER EROSION BARRIER	FOOT	1,709		
8	INLET FILTERS	EACH	15		
9	STONE DUMPED RIPRAP, CLASS A2	SQ YD	20		
10	FILTER FABRIC	SQ YD	20		
11	AGGREGATE SUBGRADE IMPROVEMENT 12"	SQ YD	200		
12	AGGREGATE BASE COURSE, TYPE B 2"	SQ YD	1,100		
13	AGGREGATE BASE COURSE, TYPE B 6"	SQ YD	200		
14	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH	SQ YD	15		
15	BITUMINOUS MATERIALS (PRIME COAT)	POUND	450		
16	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50	TON	30		
17	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SQ FT	3,376		
18	DETECTABLE WARNINGS	SQ FT	35		
19	DRIVEWAY PAVEMENT REMOVAL	SQ YD	145		
20	SIDEWALK REMOVAL (SPECIAL)	SQ FT	6,153		
21	STORM SEWERS, CLASS A, TYPE 1 12"	FOOT	29		
22	STORM SEWERS, CLASS A, TYPE 2 12"	FOOT	268		
23	STORM SEWERS, CLASS A, TYPE 2 18"	FOOT	108		
24	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 12"	EACH	1		
25	CONCRETE COLLAR	CU YD	1		
26	STORM SEWER REMOVAL 8"	FOOT	30		
27	STORM SEWER REMOVAL 12"	FOOT	304		
28	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
29	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 11 FRAME AND GRATE	EACH	1		
30	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
31	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	2		
32	MANHOLES, TYPE A, 8'-DIAMETER, TYPE 1 FRAME, OPEN LID	EACH	1		
33	INLETS, TYPE A, TYPE 1 FRAME, OPEN LID	EACH	2		
34	INLETS, TYPE A, TYPE 11 FRAME AND GRATE	EACH	1		
35	MANHOLES TO BE RECONSTRUCTED WITH NEW TYPE 1 FRAME, OPEN LID	EACH	2		
36	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	FOOT	352		
37	TRAFFIC CONTROL AND PROTECTION	LSUM	1		
38	ELECTRIC SERVICE INSTALLATION	EACH	1		
39	ELECTRIC UTILITY SERVICE CONNECTION	L SUM	1		
40	UNDERGROUND CONDUIT, GALVANIZED STEEL, 2 1/2" DIA.	FOOT	100		
41	UNIT DUCT, 600V, 3-1C NO.2, 1C NO.6 GROUND, (XLP-TYPE USE), 1 1/2" DIA. POLYETHYLENE	FOOT	705		
42	ELECTRIC CABLE IN CONDUIT, 600V (XLP-TYPE USE) 3-1/C NO. 3/0	FOOT	125		
43	LIGHT POLE FOUNDATION, 24" DIAMETER	FOOT	77		
44	DRAINAGE STRUCTURES TO BE REMOVED	EACH	7		
45	LIGHT POLE, ALUMINUM ORNAMENTAL WITH LED LUMINAIRE	EACH	7		
46	PARKWAY RESTORATION	SQ YD	1,335		
47	TRIAIALXIAL GEOGRID REINFORCEMENT, TYPE 1	SQ YD	200		
48	CONNECTION TO EXISTING SEWER	EACH	6		
49	WASHOUT BASIN	L SUM	1		
50	TEMPORARY PATCHING	SQ YD	239		
51	EXPLORATION TRENCH, SPECIAL	FOOT	50		
52	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH, SPECIAL	SQ FT	6,472		
53	LIGHTING CONTROLLER, PEDESTAL MOUNT	EACH	1		
54	HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 9"	SQ YD	95		
55	CONSTRUCTION LAYOUT	L SUM	1		
56	GUARDRAIL REMOVAL	FOOT	40		
57	STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT POSTS	FOOT	40		
58	PIPE CULVERTS, CLASS B, TYPE 1, 8"	FOOT	8		