

Bid Addendum No. 1
May 12, 2020

*Subject: Village of Spring Grove
2020 MFT Road Resurfacing Program
May 14, 2020 Letting*

To Prospective Bidders:

The contract documents for the above referenced project are hereby amended as set forth below. The information contained within this Addendum No. 1 shall be treated as if it was originally contained within the contract documents.

Modification to the Special Provisions:

The pay item included for PAVEMENT MARKING REMOVAL (SQ FT) will be used to remove the existing cross walk markings at the north leg of the Main Street and Winn Road intersection. The crosswalk will subsequently be properly aligned and re-stripped as part of this project.

The removal of SHORT TERM PAVEMENT MARKINGS (FOOT) will not be measured for payment and shall be included in the cost of SHORT TERM PAVEMENT MARKINGS (FOOT).

Replace the attached Special Provision Page 35 provided in the original bid package with this enclosed Special Provision Page 35. The date and time of the bid opening remain unchanged.

No Proposal shall be considered responsive nor shall any Proposal be considered unless the appropriate space for acknowledgement of the addendum is completed in the original bid package and unless the Proposal is accompanied by a signed and attested copy of this Addendum No. 1. The signed and attested copy of Addendum No. 1 shall be attached to the Proposal.

The undersigned agrees to be bound by the modifications made within this Addendum No. 1, and hereby waives any and all claims based upon the additional or modified information contained herein.

Acknowledgement of Addendum No. 1

Date:

Company Name: _____

Signature: _____

Name: _____

Attest:

Signature: _____

Name: _____

1031.09 RAP in Aggregate Surface Course and Aggregate Wedge Shoulders, Type B. The use of RAP in aggregate surface course and aggregate shoulders shall be as follows.

- (a) Stockpiles and Testing. RAP stockpiles may be any of those listed in Article 1031.02, except “Non-Quality” and “FRAP”. The testing requirements of Article 1031.03 shall not apply. RAP used shall be according to the current Central Bureau of Materials Policy Memorandum, “Reclaimed Asphalt Pavement (RAP) for Aggregate Applications”.
- (b) Gradation. The RAP material shall meet the gradation requirements for CA 6 according to Article 1004.01(c), except the requirements for the minus No. 200 (75 µm) sieve shall not apply. The sample for the RAP material shall be air dried to constant weight prior to being tested for gradation.”

SHORT TERM PAVEMENT MARKINGS

This work shall be constructed in accordance with Section 703 of the Standard Specifications, except that the removal of temporary pavement markings shall not be paid for separately, but included in the cost of SHORT TERM PAVEMENT MARKINGS. Payment for SHORT TERM PAVEMENT MARKINGS will not be made until the temporary markings have been removed.