SANTIARY SEWER PROJECT SWISHER, IOWA

CONTRACTOR'S BID DATE: Thursday, December 28, 2023 @ 1:00 P.M.

PLACE FOR CONTRACTORS

TO SUBMIT BIDS: City of Swisher City Hall

66 2nd Street SW Swisher, Iowa 52338

ADDENDUM NO.1

December 22, 2023

TO ALL PLANHOLDERS:

The following changes, clarifications, additions, and/or deletions are hereby made a part of the contract documents for the above-referenced project, as fully and completely as if the same were fully set forth therein. All Bidders submitting a Bid on the above Contract shall carefully read this Addendum and give it consideration in the preparation of their Bid.

This Addendum No. 1 consists of the following:

- Addendum No. 1 (pages ADN1-1 through ADN1-4)
- Proposal ADDENDUM 1 (8 pages)

SPECIFICATIONS:

1. REFER TO PROPOSAL

a. **REPLACE** the PROPOSAL with the attached PROPOSAL – ADDENDUM 1.

2. REFER TO CONTRACT

- a. **REVISE** Bid Item 1. of the CONTRACT from "Clearing and Grubbing" to "Grubbing".
- b. **REVISE** Bid Item 42. of the CONTRACT QUANTITY from "1" to "2".
- c. **REVISE** Bid Item 47. of the CONTRACT QUANTITY from "3" to "2".
- d. **REVISE** Bid Item 61. of the CONTRACT QUANTITY from "812" to "750".
- e. **REVISE** Bid Item 90. of the CONTRACT QUANTITY from "3" to "9.3".

PLANS:

1. REFER TO SHEET C.01

a. REVISE Bid Item 1. ITEM DESCRIPTION from "Clearing and Grubbing" to "Grubbing".

2. REFER TO SHEET C.02

- a. **REVISE** Bid Item 1. ITEM DESCRIPTION from "Clearing and Grubbing" to "Grubbing" and Note E. from "This item includes Grubbing only of those trees that have been previously cleared by others" to "Item No. 1 includes units for grubbing only of those trees that have been previously cleared by others".
- b. **REVISE** Bid Items 11-15. ITEM DESCRIPTION Note C. from "Bedding shall be Class R-2 Per SUDAS Figure 3010.102. Backfill above trench bedding with granular backfill underneath all roadway pavement and drives" to "Bedding shall be Class F-3 per SUDAS Figure 3010.103. Backfill above trench bedding with granular backfill material underneath all pavement and driveway areas meeting requirements for lowa DOT Gradation No. 11, Class A stone. Sand shall not be used as granular backfill".
- c. REVISE Bid Item No. 17. ITEM DESCRIPTION Note B. from "The backfill of the trench from the removal of the sanitary sewer shall be granular backfill underneath all roadway pavement and drives" to "Backfill of the trench from the removal of the sanitary sewer shall be granular backfill material underneath all roadway pavement and driveway areas meeting requirements for Iowa DOT Gradation No. 11, Class A stone. Sand shall not be used as granular backfill. It is anticipated that most granular backfill used for this application will also serve the purpose of backfilling of the proposed pipe installation trenches".
- d. REVISE Bid Item Nos. 19-23. ITEM DESCRIPTION Note D. from "Bedding shall be Class R-2 Per SUDAS Figure 3010.102. Backfill above trench bedding with granular backfill underneath all roadway pavement and drives" to "Bedding shall be Class R-2 per SUDAS Figure 3010.102. Backfill above trench bedding with granular backfill material underneath all roadway pavement and driveway areas meeting requirements for Iowa DOT Gradation No. 11, Class A stone. Sand shall not be used as granular backfill".
- e. **REVISE** Bid Item No. 24-25. Add ITEM DESCRIPTION Note B. "Backfill of the trench from the removal of the storm sewer shall be granular backfill material underneath all roadway pavement and driveway areas meeting requirements for Iowa DOT Gradation no. 11, Class A stone. Sand shall not be used as granular backfill. It is anticipated that most granular backfill used for this application will also serve the purpose of backfilling of the proposed pipe installation trenches."
- f. REVISE Bid Items 33-34. ITEM DESCRIPTION Note C. from "Bedding shall be Class P-3 Per SUDAS Figure 3010.104. Backfill above trench bedding with granular backfill underneath all roadway pavement and drives" to "Bedding shall be Class P-3 per SUDAS Figure 3010.104. Backfill above trench bedding with granular backfill material underneath all pavement and driveway areas meeting requirements for Iowa DOT Gradation No. 11, Class A stone. Sand shall not be used as granular backfill".
- g. **REVISE** Bid Items 37-38. ITEM DESCRIPTION Note D. from "Backfill above trench bedding with granular backfill underneath all roadway pavement and drives" to "Backfill above trench bedding with granular backfill material underneath all pavement and driveway areas meeting requirements for lowa DOT Gradation No. 11, Class A stone. Sand shall not be used as granular backfill".

3. REFER TO SHEET C.03

a. REVISE Bid Items 51-52. ITEM DESCRIPTION Note B. from "The backfill of the void from the removal of the structure, above the bedding material shall be granular backfill" to "The backfill of the void from the removal of the manholes and intakes, above the bedding material, shall be granular backfill. It is anticipated that most granular backfill for this application will also serve the purpose of backfilling of the proposed sewer installation".

4. REFER TO SHEET C.05

a. **REVISE** Tabulation Title from "Clearing and Grubbing" to "Grubbing" and the Work and Material Type for all Stations from "Trees – Clear & Grub" to "Trees – Grub".

5. REFER TO SHEET M.34

- a. **REVISE** Intakes and Utility Accesses No. 297 TYPE OR STANDARD ROAD PLAN from "SW-401" to "SW-512".
- b. **REVISE** Intakes and Utility Accesses No. 208 NOTES from "24 Inch Dia." to "48 Inch Dia. with Type E frame, 9" beehive grate and 24" clear opening".
- c. REVISE Intakes and Utility Accesses No. 211 NOTES from "97 Inch Dia. with Type 3B area intake casting" to "96 Inch Dia. with Type E frame, 9" beehive grate and 24" clear opening.

OTHER:


- 1. Bid Items 19-23: A substitution request was received for Polypropylene Pipe as provided for in SUDAS Section 4020, 2.01 L. in lieu of the specified RCP, 2000D (Class III) storm sewer pipe. After review, this substitution request will not be approved.
- 2. **Private Utilities**: Utility coordination has been ongoing throughout the design process. After the bid has been awarded, a meeting will be scheduled to discuss relocation and construction timelines for those utilities who have yet to relocate. MidAmerican Gas has relocated facilities along Howard and will be relocating facilities along 3rd Street this construction season.
- **3.** A Google Earth (.kmz) file has been made available with the Project Limits. A copy may be obtained from HR Green, Inc., 8710 Earhart Lane SW, Cedar Rapids, Iowa 52404, Ph: 319-841-4000 or by e-mail request to tkilpatrick@hrgreen.com.

All bidders shall acknowledge receipt and acceptance of Addendum No. 1 by signing in the space provided on the Bid Form. Bids submitted without Addendum No. 1 being acknowledged will be considered non-responsive.

4. REFER TO SHEET M.04

a. **REVISE** TABULATION, Storm Sewer to ADD Note: Construct with Nitrile O-Ring Gasket to Line Numbers P-100, P-101, P-103, P-200, P-202, P-203, P-204, P-205, P-208, P-209, and P-214.

All bidders shall acknowledge receipt and acceptance of Addendum No. 1 by signing in the space provided on the Bid Form. Bids submitted without Addendum No. 1 being acknowledged will be considered non-responsive.



I hereby certify that this engineering document was prepared by me or under my direct personal supervision and that I am a duly licensed Professional Engineer under the laws of the State of Iowa.

Date:12/22/23

BRANDON L. MICKELSON, P.E.

License No. 2442528

My renewal date is December 31, 2025.

Pages or sheets covered by this seal:

Addendum #1

BRANDON MICKELSON, PE HR GREEN, INC. 8710 EARHART LANE CEDAR RAPIDS, IOWA 52404 PHONE: (319) 841-4000

END OF ADDENDUM #1

Swisher Sanitary Sewer Project Swisher, Iowa ADDENDUM #1

PROPOSAL SWISHER SANITARY SEWER PROJECT SWISHER, IOWA ADDENDUM 1

PROPOSAL: PART A - SCOPE

The City of Swisher, hereinafter called the "Jurisdiction", has need of a qualified contractor to complete the work comprising the below referenced improvement. The undersigned Bidder hereby proposes to complete the work comprising the below referenced improvement as specified in the contract documents, which are officially on file with the Jurisdiction, in the office of the City Clerk at the prices hereinafter provided in Part C of the Proposal, for the following described improvements:

Improvements to Third Street and Howard Avenue in Swisher, Iowa. This project is located on Third Street, immediately east of Swisher View Drive SW to 125 feet east of Howard Avenue and Howard Avenue from its intersection with Third Street to 30 feet south of Division Street. This project includes roadway pavement, side road pavement, driveways, water main, storm sewer and sanitary sewer replacement. Sanitary sewer is being upsized and replaced along Third Street, Howard Avenue, and to the south from the intersection at Thrid Street and Howard Avenue through existing right-of-way and along Swisher Creek to connect to an existing sanitary sewer manhole located approximately 1,535 feet north of the Swisher Wastewater Treatment Facility.

PROPOSAL: PART B - ACKNOWLEDGMENT OF ADDENDA

The Bidder hereby acknowledges that all addenda become a part of the contract documents when issued, and that each such addendum has been received and utilized in the preparation of this bid. The Bidder hereby acknowledges receipt of the following addenda by inserting the number of each addendum in the blanks below and certifies that said addenda were utilized in the preparation of this bid.

ADDENDUM NUMBER _	ADDENDUM NUMBER _	
_		
ADDENDUM NUMBER _	ADDENDUM NUMBER _	

PROPOSAL: PART C - BID ITEMS, QUANTITIES AND PRICES

UNIT BID PRICE CONTRACTS: The Bidder must provide the Unit Bid Price, the Total Bid Price, any Alternate Prices, and the Total Construction Costs on the Proposal Attachment: Part C – Bid Items, Quantities, and Prices. In case of discrepancy, the Unit Bid Price governs. The quantities shown on the Proposal Attachment: Part C – Bid Items, Quantities and Prices are approximate only, but are considered sufficiently adequate for the purpose of comparing bids. The Jurisdiction shall only use the Total Construction Cost for comparison of the bids. The Total Construction Cost, including any Add-Alternates shall be used for determining the sufficiency of the bid security.

BASE BID CONTRACTS: The bidder must provide any Bid Prices, and alternate Prices, and the Total of the Base Bid plus any Add-alternates on the Proposal Attachment: Part C-Bid Items, Quantities, and the Prices. The Jurisdiction shall only use the Total Construction Cost for comparison of the bids. The Total Construction Cost, including any Add-Alternates shall be used for determining the sufficiency of the bid security.

PROPOSAL: PART D - GENERAL

The Bidder hereby acknowledges that the Jurisdiction, in advertising for bids for this project reserves the right to:

- Reject any or all bids. Award of the contract, if any, to be to the lowest responsible, responsive bidder; and
- 2. Reject any or all alternates in determining the items to be included in the contract. Designation of the lowest responsible, responsive bidder to be based on the comparison of the total bid only, not including any alternates; and
- 3. Make such alterations in the documents or in the proposal quantities as it determines necessary in accordance with the contract documents after execution of the contract. Such alterations shall not be considered a waiver of any conditions of the contract documents, and shall not invalidate any of the provisions thereof; and

The Bidder hereby agrees to:

- 1. Enter into a contract, if this proposal is selected, in the form approved by the Jurisdiction, provide proof of registration with the lowa Division of Labor in accordance with Chapter 91C of the lowa Code, and furnish a performance, maintenance, and payment bond; and
- 2. Forfeit bid security, not as a penalty but as liquidated damages, upon failure to enter into such contract and/or furnish said bond; and
- 3. Commence the work on this project within 10 days of the date specified on the Notice to Proceed; and
- 4. Substantially complete the project on or before August 29, 2025; and
- 5. Fully complete the project on or before October 10, 2025.
- 6. Pay liquidated damages for noncompliance with said completion provisions at the rate of Five Hundred (\$500.00) for each calendar day thereafter the work remains incomplete.

PROPOSAL: PART E - NON-COLLUSION AFFIDAVIT

The Bidder hereby certifies:

- 1. That this proposal is not affected by, contingent on, or dependent on any other proposal submitted for any improvement with the Jurisdiction; and
- That no individual employed by the Bidder has employed any person to solicit or procure the work on this project, nor will any employee of the Bidder make any payment or agreement for payment of any compensation in connection with the procurement of this project; and
- 3. That no part of the bid price received by the Bidder was or will be paid to any person, corporation, firm, association, or other organization for soliciting the bid, other than the payment of their normal compensation to persons regularly employed by the Bidder whose services in connection with the construction of the project were in the regular course of their duties for the Bidder; and
- 4. That this proposal is genuine and not collusive or sham; that the Bidder has not colluded, conspired, connived or agreed, directly or indirectly, with any bidder or person, to submit a sham bid or to refrain from bidding, and has not in any manner, directly or indirectly, sought, by agreement or collusion, or communication or conference, with any person, to fix the bid price of the Bidder or of any other bidder, and that all statements in this proposal are true; and
- 5. That the individual(s) executing this proposal have the authority to execute this proposal on behalf of the Bidder.

PROPOSAL: PART F - ADDITIONAL REQUIREMENTS

The Bidder hereby agrees to comply with the additional requirements listed below which are included in this proposal and identified as proposal attachments:

		ITEM NO.	DESC	RIPTION OF ATTACHMENT
		1. 2. 3.	Trans Bid Bo	r Status Form and Worksheet: Authorization to act Business and (submitted in a separate, sealed envelope) Attachments 1, 2, 3, 4, 5 & 10
PRO	POSAL:	PART G – IDENTITY OF BIDDER	1	
	Bidder shall nitted by a/a	indicate whether the bid is n:		
	Individual, Sole Propr Partnershi	·		Bidder
	Corporatio	n		Signature
		ure: all parties must join-in and I documents	Ву	Name (Print/Type)
	Other			Title
Numl By th	ber ne Iowa Com	enter its Public Registration issued nmissioner of Labor Pursuant		Street Address
Secti	011 910.5 01	the Iowa Code.		City, State, Zip Code
				Telephone Number

The signature on this proposal must be an original signature in ink; copies or facsimile of any

PROPOSAL – ADDENDUM 1

signature will not be accepted.

NOTE:

HR	Green,	Inc.
Pro	ject No.	2202051

Swisher Sanitary Sewer Project Swisher, Iowa ADDENDUM #1

Subscribed and sworn to before me this	day of	, 20
	Notary Public in and for	
State of County of		
My commis	ssion expires	

PROPOSAL SWISHER SANITARY SEWER PROJECT SWISHER, IOWA

PROPOSAL ATTACHMENT: PART C – BID ITEMS, QUANTITIES AND PRICES

This is a UNIT BID PRICE CONTRACT. The bidder must provide the Unit Bid Price, the Total Bid Price, and the Total Construction Cost; in case of discrepancy, the Unit Bid Price governs. The quantities shown on the Proposal Attachment: Part C – Bid Items, Quantities and Prices are approximately only, but are considered sufficiently adequate for the purpose of comparing bids. The Jurisdiction shall only use the Total Construction Cost for comparison of bids.

ITEM NO.		UNIT	QUANTITY	UNIT PRICE	TOTAL
1.	GRUBBING	UNIT	1,475.4	\$	\$
2.	CLEARING AND GRUBBING	AC	1.2	\$	\$
3.	TOPSOIL, FURNISH AND SPREAD, 8 INCH DEPTH	CY	984	\$	\$
4.	EXCAVATION, CLASS 10	CY	2,159	\$	\$
5.	SUBGRADE PREPARATION	SY	11,508	\$	\$
6.	SUBBASE, MODIFIED, PER PLAN	TON	3,375	\$	\$
7.	COMPACTION TESTING	LS	1	\$	\$
8.	EXPLORATORY EXCAVATION	EA	1	\$	\$
9.	SPECIAL PIPE EMBEDMENT OR ENCASEMENT, CLASS C CONCRETE	LF	270	\$	\$
10.	TRENCH COMPACTION TESTING	LS	1	\$	\$
11.	SANITARY SEWER GRAVITY MAIN, TRENCHED, PVC, 8 INCH	LF	417	\$	\$
12.	SANITARY SEWER GRAVITY MAIN, TRENCHED, PVC, 12 INCH	LF	1,187	\$	\$
13.	SANTIARY SEWER GRAVITY MAIN, TRENCHED, PVC, 18 INCH	LF	2,770	\$	\$
14.	SANITARY SEWER GRAVITY MAIN, TRENCHED, C900 PVC, 18 INCH	LF	270	\$	\$
15.	SANITARY SEWER GRAVITY MAIN, TRENCHLESS, PVC, 12 INCH	LF	80	\$	\$
16.	SANITARY SEWER SERVICE RELOCATION, PVC, 4 INCH	LF	431	\$	\$
17.	REMOVAL OF SANITARY SEWER	LF	4,394	\$	\$
18.	SANITARY SEWER ABANDONMENT, FILL AND PLUG, 8 INCH	LF	254	\$	\$
19.	STORM SEWER, TRENCHED, RCP, 2000D (CLASS III),15 INCH	LF	1,264	\$	\$
20.	STORM SEWER, TRENCHED, RCP, 2000D (CLASS III),18 INCH	LF	246	\$	\$
21.	STORM SEWER, TRENCHED, RCP, 2000D (CLASS III), 24 INCH	LF	126	\$	\$
22.	STORM SEWER, TRENCHED, RCP, 2000D (CLASS III), 54 INCH	LF	8	\$	\$

ITEM NO.		UNIT	QUANTITY	UNIT PRICE	TOTAL
23.	STORM SEWER, TRENCHED, RCP, 2000D (CLASS III), 60 INCH	LF	381	\$	\$
24.	REMOVAL OF STORM SEWER, LESS THAN 36 INCH DIA.	LF	350	\$	\$
25.	REMOVAL OF STORM SEWER, 36 INCH DIA. OR GREATER	LF	38	\$	\$
26.	PIPE APRON, RCP, 15 INCH	EA	2	\$	\$
27.	PIPE APRON, RCP, 18 INCH	EA	3	\$	\$
28.	PIPE APRON, RCP, 24 INCH	EA	1	\$	\$
29.	PIPE APRON, RCP, 60 INCH	EA	1	\$	\$
30.	SUBDRAIN, CASE B, TYPE 1, 6 INCH	LF	919	\$	\$
31.	SUBDRAIN CLEANOUT, TYPE A-2, 6 INCH	EA	7	\$	\$
32.	SUBDRAIN OUTLETS, CMP, 8 INCH	EA	7	\$	\$
33.	WATER MAIN, TRENCHED, PVC, 6 INCH	LF	51	\$	\$
34.	WATER MAIN, TRENCHED, PVC, 8 INCH	LF	1,919	\$	\$
35.	WATER MAIN, TRENCHLESS, PVC, 8 INCH	LF	286	\$	\$
36.	FITTING BY WEIGHT, DIP	LB	874	\$	\$
37.	WATER SERVICE STUB, TYPE K COPPER, 1 INCH	LF	543	\$	\$
38.	WATER SERVICE STUB, TYPE K COPPER (CONTINGENCY ITEM)	LF	100	\$	\$
39.	VALVE, GATE, DIP,6 INCH	EA	1	\$	\$
40.	VALVE, GATE, DIP, 8 INCH	EA	16	\$	\$
41.	MANHOLE, SANITARY SEWER, SW-301, 48 INCH	EA	15	\$	\$
42.	MANHOLE, STORM SEWER, SW-401, 48 INCH	EA	2	\$	\$
43.	MANHOLE, STORM SEWER, SW-401, 96 INCH	EA	1	\$	\$
44.	INTAKE, SW-507	EA	2	\$	\$
45.	INTAKE, SW-508 MODIFIED (SW-599)	EA	3	\$	\$
46.	INTAKE, SW-509	EA	7	\$	\$
47.	INTAKE, SW-512, 24 INCH	EA	2	\$	\$
48.	INTAKE, SW-541	EA	5	\$	\$
49.	INTAKE, SW-542	EA	5	\$	\$
50.	INTERNAL DROP CONNECTION	EA	6	\$	\$
51.	REMOVE MANHOLE	EA	14	\$	\$
52.	REMOVE INTAKE	EA	1	\$	\$
53.	ABANDON SANITARY MANHOLE	EA	1		
54.	PAVEMENT, PCC, CLASS C, 7 INCH	SY	6,715	\$	\$
55.	PCC PAVEMENT SAMPLES AND TESTING	LS	1	\$	\$

ITEM NO.		UNIT	QUANTITY	UNIT PRICE	TOTAL
56.	PAVEMENT, HMA, BASE COURSE, 4 INCH DEPTH	TON	210	\$	\$
57.	PAVEMENT, HMA, SURFACE COURSE, 2 INCH DEPTH	TON	109	\$	\$
58.	PAVEMENT, HMA, TEMPORARY, BASE COURSE, 3 INCH DEPTH	TON	25	\$	\$
59.	ASPHALT PAVEMENT SAMPLES AND TESTING	LS	1	\$	\$
60.	REMOVAL OF DRIVEWAY	SY	1,140	\$	\$
61.	SIDEWALK, PCC, 4 INCH	SY	<mark>750</mark>	\$	\$
62.	SIDEWALK, PCC, 6 INCH	SY	110	\$	\$
63.	CONCRETE PAVERS WITH 5/8 INCH SAND SETTING BED, PAVERS TO BE SALVAGED	SY	1	\$	\$
64.	DETECTABLE WARNING	SF	56	\$	\$
65.	DRIVEWAY, PAVED, PCC, 6 INCH	SY	933	\$	\$
66.	DRIVEWAY, GRANULAR, 6 INCH MIN.	TON	66	\$	\$
67.	PAVEMENT REMOVAL	SY	5,876	\$	\$
68.	BITUMINOUS SEAL COAT, 3/8 INCH DOUBLE SEAL COAT	SY	480	\$	\$
69.	TEMPORARY TRAFFIC CONTROL	LS	1	\$	\$
70.	TRAFFIC SIGNS, SHEET ALUMINUM, TYPE A	SF	29		
71.	PERFORATED SQUARE STEEL TUBE POSTS	LF	168	\$	\$
72.	PERFORATED SQUARE STEEL TUBE POST ANCHORS, BREAK-AWAY SOIL INSTALLATION	EA	13	\$	\$
73.	REMOVE AND REINSTALL TRAFFIC SIGNS	EA	9	\$	\$
74.	REMOVE AND SALVAGE TRAFFIC SIGN ASSEMBLY	EA	1	\$	\$
75.	HYDRAULIC SEEDING, FERTILIZING, AND MULCHING, TYPE 1 PERMANENT LAWN SEED MIXTURE	AC	2.3	\$	\$
76.	HYDRAULIC SEEDING, FERTILIZING, AND MULCHING, TYPE 2 PERMANENT COOL SEASON SEED MIXTURE FOR SLOPES AND DITCHES	AC	1.0	\$	\$
77.	SWPPP MANAGEMENT	LS	1	\$	\$
78.	TEMPORARY RECP, TYPE 2C	SY	1,651	\$	\$
79.	WATTLE, 12 INCH	LF	1,098	\$	\$
80.	WATTLE, REMOVAL	LF	1,098	\$	\$
81.	RIP RAP, CLASS B	TON	139	\$	\$
82.	RIP RAP, CLASS E	TON	24	\$	\$
83.	SILT FENCE	LF	2,100	\$	\$

ITEM				UNIT	
NO.		UNIT	QUANTITY	PRICE	TOTAL
84.	SILT FENCE, REMOVAL OF SEDIMENT	EA	2,100	\$	\$
85.	SILT FENCE, REMOVAL OF DEVICE	EA	2,100	\$	\$
86.	STABILIZED CONSTRUCTION ENTRANCE	SY	112	\$	\$
87.	INLET PROTECTION DEVICE, SURFACE-APPLIED	EA	22	\$	\$
88.	INLET PROTECTION DEVICE, MAINTENANCE	EA	22	\$	\$
89.	END OF SEASON TEMPORARY EROSION CONTROL, TYPE 4 URBAN TEMPORARY	AC	0.3	\$	\$
90.	COMBINED CONCRETE SIDEWALK AND BARRIER CURB	CY	<mark>9.3</mark>	\$	\$
91.	DEMOLITION WORK, PER PLAN	LS	1	\$	\$
92.	CONSTRUCTION SURVEY	LS	1	\$	\$
93.	MOBILIZATION	LS	1	\$	\$
94.	MAINTENANCE OF POSTAL SERVICE	LS	1	\$	\$
95.	MAINTENANCE OF SOLID WASTE COLLECTION	LS	1	\$	\$
96.	CONCRETE WASHOUT	LS	1	\$	\$
97.	VIBRATION MONITORING	LS	1	\$	\$
TOTAL	. ITEM 1 - 97				\$

NOTE: IT IS UNDERSTOOD THAT THE ABOVE QUANTITIES ARE ESTIMATED FOR THE PURPOSE OF THIS BID. ALL QUANTITIES ARE SUBJECT TO REVISION BY THE CITY. QUANTITY CHANGES WHICH AMOUNT TO TWENTY (20) PERCENT OR LESS OF THE TOTAL BID SHALL NOT AFFECT THE UNIT PRICE BID.

Bidder		